

**APPENDIX A
AI MONITORING DATABASE UPDATE INPUT SHEET**

+



SOUTH AFRICAN POULTRY ASSOCIATION
SUID-AFRIKAANSE PLUIMVEEVERENIGING
Founded 1904 / Gestig 1904

I MOSWEU

Cell: 079 871 9085

E.mail: diseasereports@sapoultry.co.za
www.sapoultry.co.za

E-MAIL: diseasereports@sapoultry.co.za

PAGE/BLADSY: 1 OF 4

DATE/DATUM: _____

CONFIDENTIAL

Company name				
How many farms does your company own/rent?				
Number of this farm PLEASE return a form for every farm	_____ Out of _____			
In which province is the farm?				
In which local municipality is the farm situated?				
Census: Average number of chicks on farm at any given moment/ DO NOT supply capacity	NB!			
Registered name and number of the farm				
Does your company own the property? Please mark with an X	YES	NO		
Registered name of the owner				
ZA Reg number - operation/compartments	NB!			
No of houses on the farm with the same capacity		Capacity		No birds
No of houses on the farm with the same capacity		Capacity		No birds
No of houses on the farm with the same capacity		Capacity		No birds
No of houses on the farm with the same capacity		Capacity		No birds
No of houses on the farm with the same capacity		Capacity		No birds
Geographical location (please fill in decimal format or decimal degree format below)	Decimal format			
	EAST			

	SOUTH			
Geographical location (please fill in decimal degree format or decimal format above)	Decimal degree-format	Degrees	Minutes	Seconds
	EAST			
	SOUTH			
Industry:	Broiler Industry NB! Mark type of poultry with X		Egg Industry NB! Mark type of poultry with X	
Sub-type or type of poultry being farmed with on this farm	Broiler pure lines		Layer pure lines	
See the last page below for an explanation of every type.	Broiler great-grandparent farm		Layer great-grandparent farm	
	Broiler grandparent rearing farm		Layer grandparent rearing farm	
	Broiler grandparent breeder (laying farm)		Layer grandparent breeder (laying farm)	
	Broiler parent hatchery		Layer parent hatchery	
	Broiler parent rearing farm (Broiler Breeder Rearing)		Layer parent rearing farm	
	Broiler breeder laying farm		Layer breeder (laying farm)	
	Broiler commercial hatchery		Layer commercial hatchery	
	Broiler rearing/growing		Layer pullet rearing	
			Layers (table egg production)	
Are you a contract grower?		To whom?		
Other type of farming practice (please specify)	YES:		NO:	
Do you export/ (indicate with X) NB!				
To which country / countries				
Number of epidemiological groups* on the farm (see bottom of page for definition) Surveillance must be done for every epidemiological unit				
REMARKS (anything that you want to bring to our attention) Contact details of person responsible for surveillance monitoring on the farm/ maintaining this form (Please note: Not the veterinarian)/	Name			
	Tel:			
	e-mail:			

* An "Epidemiological group" is a group of chickens in contact with each other. A farm may for instance have a couple of chicken houses grouped together and serviced by the same staff. This will then form an epidemiological group. Removed from this group another group may exist on the farm kept and treated separately from the other group. This will then form the second group on the farm. The idea is that when a population is infected, the disease will spread amongst the individuals in contact with each other. (Directly through physical contact or indirectly through labourers, feed or water systems.) When samples are taken this unit of chickens in contact with each other is regarded as a whole even though the chickens may be accommodated in various chicken houses

Kindly supply contact details of neighbouring farms (we will not disclose any information given on this form) in order to include more farms in the surveillance monitoring.

1. Company name	
-----------------	--

Name of the farm	
Name of contact	
In which province is the farm?	Province: Local municipality:
Contact details	Tel: ()
	e-mail:
	Physical Address:
Other	

Sub-types of Broiler Farming

The following poultry farming sub-types are proposed:

Broiler Industry

Type nr	Name	Description	Gender
01	Broiler pure lines	abroad	♂ ♀
02	Broiler Great Grand Parent farm	GGP - mostly abroad and in South Africa	♂ ♀
03	Broiler Grand Parent rearing farm	GP - mostly imported as day-old chicks, reared to production age	♂ ♀
04	Broiler Grand Parent breeder	GP - produce fertile eggs; laying farm	♂ ♀
05	Broiler Parent hatcheries	Produce day-old parent chicks	
06	Broiler Parent rearing farm	Parents are reared from 0 to 23 weeks, moved to laying farm	♂ ♀
07	Broiler breeder	Parent laying farm (24-approx 62 weeks)	♂ ♀
08	Broiler hatchery	Commercial hatchery produce day-old chicks	
09	Broiler rearing/growing	to approximately 35 days	♂ ♀
10	Abattoir and further processing plants		♂ ♀

Sub-types of Egg Farming

Egg Industry

Type nr	Name	Description	Gender
01	Layer pure lines	abroad	♂ ♀
02	Layer Great Grand Parent farm	GGP - mostly abroad	♂ ♀
03	Layer Grand Parent rearing farm	GP - mostly imported as day-old chicks, reared to production age	♂ ♀
04	Layer Grand Parent breeder	GP - produce fertile eggs; laying farm	♂ ♀
05	Layer Parent hatcheries	Produce day-old parent chicks	
06	Layer Parent rearing farm	Parents are reared from 0 to 17 weeks, moved to laying farm	♂ ♀
07	Layer breeder	Parent laying farm (18-64 weeks)	♂ ♀
08	Layer hatcheries	Commercial hatchery produce day-old chicks; male chicks destroyed	
09	Layer/pullet rearing	to approximately 17 weeks	♀
10	Layers	Commercial layer farms (18-more than 75 weeks)	♀
11	Pack station and marketing		
12	Layer culls	Culls (at end of laying cycle), sold as whole live birds at depots on farms	♀